



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

July 20, 2006

Washington Water Service Company
Attn Judy Passey
PO Box 336
Gig Harbor WA 98335-0336

Dear Ms. Passey:

Re: Water Permit No. **G2-29811**

We are pleased to let you know that your extension request on the above-referenced permit has been granted. Your new deadline to put the water to full beneficial use and submit completed Proof of Appropriation form is **June 1, 2011**.

When you return the completed Proof of Appropriation form to us, be sure that:

- It is **notarized**.
- You have written in the **parcel number** for the point of diversion/withdrawal for where your project is located (and the place of use, if different). Parcel numbers can be found on property tax statements or obtained through the assessor's office.

Upon receipt of your Proof of Appropriation form, we will review the information and may come out to inspect your project. Once we are confident that all of the terms and provisions of your permit have been met, we will notify you by mail to request the certificate recording fees for the state and county.

You have the right to appeal this Order to the Pollution Control Hearings Board. Pursuant to chapter 43.21B RCW, your appeal must be filed with the Pollution Control Hearings Board, and served on the Department of Ecology, within thirty (30) days of the date of your receipt of this document. To appeal this action or decision, your notice of appeal must contain a copy of the Ecology order, action or decision you are appealing.

Your appeal must be filed with:
Pollution Control Hearings Board
4224 - 6th Avenue SE, Rowe Six, Bldg. 2
P.O. Box 40903
Lacey, Washington 98504-0903


Your appeal must also be served on:
Department of Ecology
Appeals Coordinator
P.O. Box 47608
Olympia, Washington 98504-7608

For additional information on appeals: Environmental Hearings Office website:
<http://www.eho.wa.gov>.



If we can provide any further assistance, please contact our office at (360) 407-6300.

Sincerely,

A handwritten signature in black ink, reading "Thomas Loranger". The signature is written in a cursive style with a large, stylized "T" and "L".

Thomas Loranger
Water Resources Section Manager
Southwest Regional Office

TL:th (PAextension.doc)



WASHINGTON WATER SERVICE COMPANY

14519 PEACOCK HILL AVENUE NW • P.O. BOX 336 • GIG HARBOR, WA 98335 • (253) 851-4060

HARBOR DISTRICT

RECEIVED
DEPT OF ECOLOGY/ST-33
06 JUL 11 10:33

July 10, 2006

Department of Ecology
Attn: Jill Walsh
PO Box 47775
Olympia, WA 98504

RE: Ground Water Permit #G2-29811, Longbranch Highlands, Request for Extension

Dear Jill:

You have already received our check #055664 in the amount of \$50.00 for a Five-year (5) extension of this permit from June 1, 2006 to June 1, 2011. I am re-requesting a five year extension for the following reasons:

- We are approved for 22 customers and currently have 12 customers. We have continuing growth opportunity in that area and currently have one customer with a hook-up pending. We plan on merging the four Group B water systems called Longbranch Estates 1 through 4 into our Longbranch Highlands water system.
- Our new schedule for completing our water right obligation looks like it could reach five years from now with the growth we have seen in that area and the timeline for approvals for the merge.

If you have any questions, please give Mike Ireland a call at (253) 851-3422 extension 1107. Or if I can help you with anything, please give me a call directly at (253) 851-3422 extension 1106.

Sincerely,

Judy Passey
Administrative Assistant to the President

Enclosure

cc: Mike Ireland, President, Washington Water Service Company
Engineering Department, Washington Water Service Company
System File

7/13/06
OK to extend the
PA date to 6/1/2011
J Walsh

\\Hbrsvr\washington water service\Department of Ecology\Southwest\G2-29811 Longbranch Highlands extension request-redone.doc

DISTRICT OFFICES: HARBOR • SOUTH SOUND

RECEIPT

Receipt Number 06-025627

Department of Ecology

Manual Receipt
(4610)

PO Box 5128

Lacey, WA 98509-5128

(360) 407-7095

Current Document Number **461K1613CJ**

Date 06/30/2006

FM 12

Remitter Name **WASHINGTON WATER SERVICE COMPANY** Receipt Name

Check/Draw Number **556664**

Document Amount \$50.00

Method of Payment **Check**

Comment Description **WATER RIGHTS**

[illegible]



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

June 15, 2004

Washington Water Service
PO Box 336
Gig Harbor WA 98335-0336

Dear Sir or Madame:

RE: Permit No. **G2-29811**

Thank you for sending in your permit fee. Enclosed is your permit No. **G2-29811**, which includes your Development Schedule.

Completion of Construction form

According to your permit, you are to finish construction on your water project on or before **June 1, 2006**. When the work is completed, you must complete and submit the enclosed "Construction Notice: Completion of Construction" form. Please return the form to the Water Resources Program at Ecology's Southwest Regional Office.

If we do not receive the completed form by **June 1, 2006**, and do not hear from you otherwise, your permit may be cancelled. We understand that occasionally there are extenuating circumstances that may delay the completion of a project. In this case, you **must** contact us, **in writing**, to request an **extension**.

This is the only notice you will receive from us about submitting the "Completion of Construction" form. It is your responsibility to keep track of the development schedule dates specified in your permit.

Completing construction and submitting the "Completion of Construction" form are essential parts of the process towards securing a water right certificate. After submission of that form, your next deadline is associated with putting the water to full beneficial use.


Read your permit

Please read through your entire permit, along with the enclosed water right information sheet, to be sure you fully understand the terms and responsibilities associated with your permit. It is important to remember that this permit is not a *final* water right, it is permission by the state to *develop* a water right.



If we can provide any further assistance, please contact our office at (360) 407-6300.

Sincerely,



Thomas Loranger
Water Resources Section Manager
Southwest Regional Office

TL:th

Enclosures: **Permit #G2-29811**
 "Construction Notice: Completion of Construction" form
 "Important Information Regarding Your Water Right"

permit-CC.doc

WATER WELL REPORT

STATE OF WASHINGTON

Start Card No. W070617
UNIQUE WELL I.D. # ACB 433

Water Right Permit No. _____

(1) OWNER: Name Max Balbende Address PO Box 207 Maple Valley WA 98038

(2) LOCATION OF WELL: County Pierce 1/4 NE 1/4 Sec 26 T. 20 N.R. 1W WM

(2a) STREET ADDRESS OF WELL: (or nearest address) 174th AV KPS + 65th ST KPS

(3) PROPOSED USE: ☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other
☐ DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) 1 (Lot 7)
☒ New well Method: ☐ Dug ☐ Bored
☐ Deepened ☒ Cable ☐ Driven
☐ Reconditioned ☐ Rotary ☐ Jetted

(5) DIMENSIONS: Diameter of well 6 inches
Drilled 245 feet. Depth of completed well 243 ft.

(6) CONSTRUCTION DETAILS
Casing installed: ☒ Welded 6 : Diam. from +1 ft. to 236 ft.
☐ Liner installed : Diam. from : ft. to : ft.
☐ Threaded : Diam. from : ft. to : ft.

Perforations: ☐ Yes ☒ No
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: ☒ Yes ☐ No
Manufacturer's Name _____
Type S/S Model No. _____
Diam. 6T Slot size 016 from 236 ft. to 243 ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: ☐ Yes ☒ No Size of gravel _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: ☒ Yes ☐ No To what depth? 18
Material used in seal Hole plug
Did any strata contain unusable water? ☐ Yes ☐ No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____
Type: _____ H.P. _____

(8) WATER LEVELS: Land-surface elevation above mean sea level _____ ft.
Static level 190 ft. below top of well Date _____
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____
(Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? ☒ Yes ☐ No If yes, by whom? Driller
Yield: 32 gal./min. with 3 ft. drawdown after 4 hrs.
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level

Date of test _____
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Airstest _____ gal./min. with stem set at _____ ft. for _____ hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? ☐ Yes ☐ No

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION
Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

| MATERIAL | FROM | TO |
|-------------------|------|-----|
| Sand & gravel | 0 | 5 |
| Hard Pan | 5 | 20 |
| Silt, Sand & peat | 20 | 85 |
| Silt & peat | 85 | 140 |
| Sandy silt | 140 | 155 |
| Hard Pan | 155 | 195 |
| Sand | 195 | 205 |
| Silt Sand & peat | 205 | 216 |
| Sand (Fine) | 216 | 231 |
| Sand & gravel | 231 | 245 |

RECEIVED

MAR 12 1999

DEPARTMENT OF ECOLOGY
WELL DRILLING UNIT

Work Started 1/15, 1999 Completed 2/1, 1999

WELL CONSTRUCTION CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Wes Glessner Drilling
(Person, Firm, or Corporation) (Type of Print)

Address PO Box 487 Burley WA 98322

(Signed) Wesley Glessner License No. 0154

Contractor's
Registration No. WESGLDX082PG Date 2/16, 1999

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (360) 407-6600. The TDD number is (360) 407-6006.

WATER WELL REPORT

STATE OF WASHINGTON

Start Card No. W070618
UNIQUE WELL I.D. # ACB 434

Water Right Permit No. _____

(1) OWNER: Name Max Balherde Address PO Box 207 Maple Valley Wa 98138

(2) LOCATION OF WELL: County Pierce NW 1/4 NE 1/4 Sec 46 T 20 N.R. 16 WM

(2a) STREET ADDRESS OF WELL: (or nearest address) 174th Av KPS & 65th St KPS

(3) PROPOSED USE: ☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other
☐ DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) 2 (Lots)
☒ New well Method: ☐ Dug ☐ Bored
☐ Deepened ☒ Cable ☐ Driven
☐ Reconditioned ☐ Rotary ☐ Jetted

(5) DIMENSIONS: Diameter of well 6 inches
Drilled 240 feet. Depth of completed well 240 ft.

(6) CONSTRUCTION DETAILS
Casing installed:
☒ Welded 6 : Diam. from 11 ft. to 231 ft.
☐ Liner installed : Diam. from : ft. to : ft.
☐ Threaded : Diam. from : ft. to : ft.

Perforations: ☐ Yes ☒ No

Type of perforator used _____

SIZE of perforations _____ in. by _____ in.

_____ perforations from _____ ft. to _____ ft.

_____ perforations from _____ ft. to _____ ft.

_____ perforations from _____ ft. to _____ ft.

Screens: ☒ Yes ☐ No

Manufacturer's Name _____

Type 3/9 Model No. _____

Diam. 6T Slot size 10/18 from 231 ft. to 240 ft.

Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: ☐ Yes ☒ No

Size of gravel _____

Gravel placed from _____ ft. to _____ ft.

Surface seal: ☒ Yes ☐ No To what depth? 18

Material used in seal Hole plug

Did any strata contain unusable water? ☐ Yes ☒ No

Type of water _____ Depth of strata _____

Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____

Type: _____ H.P. _____

(8) WATER LEVELS: Land-surface elevation above mean sea level _____ ft.

Static level 189.6 ft. below top of well Date 3/2/99

Artesian pressure _____ lbs. per square inch Date _____

Artesian water is controlled by _____ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☐ No If yes, by whom? _____

Yield: 38 gal./min. with 2'6" ft. drawdown after 4 hrs.

Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time Water Level Time Water Level Time Water Level

0:00 189.6 _____ _____ _____ _____

1:00 189.6 _____ _____ _____ _____

2:00 189.6 _____ _____ _____ _____

Date of test _____

Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.

Airtest _____ gal./min. with stem set at _____ ft. for _____ hrs.

Artesian flow _____ g.p.m. Date _____

Temperature of water _____ Was a chemical analysis made? ☐ Yes ☐ No

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION
Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

| MATERIAL | FROM | TO |
|-------------------------|------|-----|
| Sand & gravel | 0 | 4 |
| Hard pan | 4 | 19 |
| Silt Sand & Peet | 19 | 86 |
| Silt & peet | 86 | 140 |
| Sandy Silt | 140 | 154 |
| Hard Pan & large gravel | 154 | 195 |
| Sand | 195 | 205 |
| Silt, Sand & Peet | 205 | 216 |
| Sand (Fine) | 216 | 229 |
| Sand & gravel (WB) | 229 | 240 |

RECEIVED

MAR 12 1999

DEPARTMENT OF ECOLOGY
WELL DRILLING UNIT

Work Started 2/2, 19 99 Completed 3/2, 19 99

WELL CONSTRUCTION CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Wes Glessner Drilling
(Person, Firm, or Corporation) (Type of Print)

Address PO Box 487 Burley Wa 98322

(Signed) Wesley Glessner License No. 0154

Contractor's Registration No. WESGLD082p6 Date 3/5, 19 99

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (360) 407-6600. The TDD number is (360) 407-6006.

WATER WELL REPORT

STATE OF WASHINGTON

Start Card No. W070619
UNIQUE WELL I.D. # ACB 435

Water Right Permit No. _____

(1) OWNER: Name Max Balbende Address PO Box 207 Maple Valley WA 98038

(2) LOCATION OF WELL: County Pierce NW 1/4 NE 1/4 Sec 26 T 20 N.R. 1W WM

(2a) STREET ADDRESS OF WELL: (or nearest address) 174th AV KPS & 65th ST KPS

(3) PROPOSED USE: ☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other
☐ DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) 3 (Lot 9)
☒ New well Method: ☐ Dug ☐ Bored
☐ Deepened ☒ Cable ☐ Driven
☐ Reconditioned ☐ Rotary ☐ Jetted

(5) DIMENSIONS: Diameter of well 6 inches
Drilled 223 feet. Depth of completed well 223 ft.

(6) CONSTRUCTION DETAILS

Casing Installed:

☒ Welded 6 ft. Diam. from 11 ft. to 212 ft.
☐ Liner installed Diam. from _____ ft. to _____ ft.
☐ Threaded _____ ft. to _____ ft.

Perforations: ☐ Yes ☒ No

Type of perforator used _____

SIZE of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: ☒ Yes ☐ No

Manufacturer's Name _____

Type 3/5 Model No. _____
Diam. 6T Slot size 020 from 214 ft. to 223 ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: ☐ Yes ☒ No Size of gravel _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: ☒ Yes ☐ No To what depth? 18

Material used in seal Holeplus

Did any strata contain unusable water? ☐ Yes ☐ No

Type of water? _____ Depth of strata _____

Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____

Type: _____ H.P. _____

(8) WATER LEVELS: Land-surface elevation above mean sea level _____ ft.

Static level 176 ft. below top of well Date 2/8/99

Artesian pressure _____ lbs. per square inch Date _____

Artesian water is controlled by _____
(Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☐ No If yes, by whom? _____

Yield: 36 gal./min. with 3.5 ft. drawdown after 4 hrs.

Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

| Time | Water Level | Time | Water Level | Time | Water Level |
|-------------|--------------|------|-------------|------|-------------|
| <u>0:00</u> | <u>179.5</u> | | | | |
| <u>1:00</u> | <u>177</u> | | | | |
| <u>2:00</u> | <u>176</u> | | | | |

Date of test _____

Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.

Airtest _____ gal./min. with stem set at _____ ft. for _____ hrs.

Artesian flow _____ g.p.m. Date _____

Temperature of water _____ Was a chemical analysis made? ☐ Yes ☐ No

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION
Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

| MATERIAL | FROM | TO |
|-----------------------------|------|-----|
| Top Soil | 0 | 1 |
| Sand & gravel (Brown) | 1 | 5 |
| Sand (Brown) | 5 | 35 |
| Sand & gravel (Brown) | 35 | 55 |
| Clay (Brown) | 55 | 60 |
| Clay Sand & peat | 60 | 85 |
| Sand & gravel (Gray) | 85 | 95 |
| Clay (Gray) | 95 | 115 |
| Sand & gravel (gray) | 115 | 130 |
| Clay (gray) | 130 | 140 |
| Sand (gray) | 140 | 150 |
| Hard Pan (gray) | 150 | 170 |
| Sand Clay (gray) | 170 | 175 |
| Hard Pan | 175 | 190 |
| Clay & Sand & gravel (gray) | 190 | 206 |
| Sand (gray) | 206 | 209 |
| Sand & gravel (gray) | 209 | 214 |
| Sand & gravel WB | 214 | 223 |

RECEIVED

MAR 12 1999

DEPARTMENT OF ECOLOGY
WELL DRILLING UNIT

Work Started 1/19, 1999 Completed 2/9, 1999

WELL CONSTRUCTION CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and I comply with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Wes Glessner Drilling
(Person, Firm, or Corporation) (Type of Print)

Address PO Box 487 Burley WA 98312

(Signed) Bruce Lewis License No. 0919

Contractor's
Registration No. WESCID #08246 Date 2/16, 1999

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (360) 407-6600. The TDD number is (360) 407-6006.

WATER WELL REPORT

STATE OF WASHINGTON

Start Card No. W070620
UNIQUE WELL I.D. # ACB 436

Water Right Permit No. _____

(1) OWNER: Name Max Balbende Address PO Box 207 Maple Valley WA 98038

(2) LOCATION OF WELL: County Pierce NW 1/4 NE 1/4 Sec 26 T 20 N.R. 14 WM

(2a) STREET ADDRESS OF WELL: (or nearest address) 174th Ave KP8 & 45th St KP9

(3) PROPOSED USE: ☒ Domestic ☐ Industrial ☐ Municipal
☐ Irrigation ☐ Test Well ☐ Other
☐ DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) 4 (26+10)
☒ New well Method: ☐ Dug ☐ Bored
☐ Deepened ☒ Cable ☐ Driven
☐ Reconditioned ☐ Rotary ☐ Jetted

(5) DIMENSIONS: Diameter of well 6 inches
Drilled 228 feet. Depth of completed well 228 ft.

(6) CONSTRUCTION DETAILS
Casing Installed: ☒ Welded 20 ft. Diam. from +1 ft. to 218 ft.
☐ Liner installed Diam. from _____ ft. to _____ ft.
☐ Threaded Diam. from _____ ft. to _____ ft.

Perforations: ☐ Yes ☒ No
Type of perforator used _____
Size of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: ☒ Yes ☐ No
Manufacturer's Name _____
Type 9/S Model No. _____
Diam. 67 Slot size 1018 from 218 ft. to 228 ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: ☐ Yes ☒ No Size of gravel _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: ☒ Yes ☐ No To what depth? 18
Material used in seal Holeplus
Did any strata contain unusable water? ☐ Yes ☒ No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____
Type: _____ H.P. _____

(8) WATER LEVELS: Land-surface elevation above mean sea level _____ ft.
Static level 176.6" ft. below top of well Date 3/3/99
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____
(Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? ☐ Yes ☐ No If yes, by whom? _____
Yield: 28 gal./min. with 4 ft. drawdown after 4 hrs.
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level
0:00 180.6" _____ _____ _____ _____
1:00 179.6" _____ _____ _____ _____
4:00 176.6" _____ _____ _____ _____
Date of test _____
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Airstest _____ gal./min. with stem set at _____ ft. for _____ hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? ☐ Yes ☐ No

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION
Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

| MATERIAL | FROM | TO |
|----------------------------|------|-----|
| Top Soil | 0 | 1 |
| Hard pan (Brown) | 1 | 7 |
| Sandy Clay (Brown) | 7 | 50 |
| Sandy peat (Brown) | 50 | 85 |
| Sand & gravel Clay (gray) | 85 | 130 |
| Sand Clay & peat (Brown) | 130 | 150 |
| Sandy Clay (gray) | 150 | 155 |
| Hard pan (gray) | 155 | 190 |
| Sand, Clay & gravel (gray) | 190 | 210 |
| Sandy Clay (gray) | 210 | 217 |
| Sand & gravel (WB) | 217 | 228 |

RECEIVED

MAR 12 1999

DEPARTMENT OF ECOLOGY
WELL DRILLING UNIT

Work Started 2/10, 19 99 Completed 2/27, 19 99

WELL CONSTRUCTION CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME WES Glessner Drilling
(Person, Firm, or Corporation) (Type of Print)

Address PO Box 487 Burley WA 98322

(Signed) Bruce Lewis License No. 0919

Contractor's Registration No. WESGLDX082p6 Date 3/5, 19 99

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (360) 407-6600. The TDD number is (360) 407-6006.